

# RISO CZ 180

## CZI80 Specifications

<b>Master-making / printing methods</b>	High-speed digital master-making / fully automatic stencil printing
<b>Original Type</b>	Sheets ADF: 10 sheets (64g/m <sup>2</sup> )
<b>Original Size</b>	90mm x 140mm – 310mm x 435mm
<b>Original Paper Weight</b>	50g/m <sup>2</sup> – 107g/m <sup>2</sup>
<b>Scanning Area (max.)</b>	297mm x 435mm
<b>Print Paper Size</b>	100mm x 148mm – 297mm x 420mm
<b>Paper Feeding Tray Capacity</b>	1000 sheets (64g/m <sup>2</sup> )
<b>Print Paper Weight</b>	50g/m <sup>2</sup> – 157g/m <sup>2</sup>
<b>Image Processing Mode</b>	Line, Photo, Duo, Pencil
<b>Resolution</b>	Scanner: 300dpi x 300dpi Print image: 300dpi x 300dpi
<b>Master-making Time</b>	Approx. 37 seconds (A4 / Portrait / 100% reproduction ratio)
<b>Printing Area (max.)</b>	251mm x 357mm
<b>Print Reproduction Ratio</b>	Enlargement: 141%, 122%, 116% Reduction: 71%, 82%, 87%, 94%

<b>Print Speed</b>	60ppm, 90ppm, 130ppm
<b>Print Position Adjustment</b>	Vertical: ±10mm, Horizontal: ±10mm
<b>Ink Supply</b>	Fully automatic (800ml per cartridge)
<b>Master Supply / Disposal</b>	Fully automatic (Approx. 200 sheets per roll)
<b>Master Disposal Box Capacity</b>	Approx. 30 sheets
<b>Features</b>	2up, ADF semi-auto, Auto-process, Confidential, Custom mode, Program print, Proof copy, Reservation, Scanning level adjustment, RISO i Quality System
<b>Accessories</b>	RISORINC3n, RISORINC-NET, Job separator
<b>Power Source</b>	220V–240V 50/60Hz
<b>Dimensions (WxDxH)</b>	When in use: 1270mm x 645mm x 510mm When in storage: 650mm x 645mm x 500mm
<b>Weight</b>	Approx. 62kg

Specifications are subject to change without notice.  
Details may vary depending on the region.



RISO logo is the registered trademark of Riso Kagaku Corporation.  
RISO i QualitySystem and RISO i Quality mark are trademarks of Riso Kagaku Corporation.



**RISO KAGAKU CORPORATION**  
5-34-7 Shiba, Minato-ku, Tokyo 108-8385 Japan  
Phone : +81-(0)3-5441-6661 Fax : +81-(0)3-5441-6668  
<http://www.riso.com/>

For more details please contact: